

**TYPICAL MAIN LINE TRENCH W/  
CLOSED PIPE UNDERDRAIN**

NOTE:  
TO BE USED IN CONJUNCTION WITH STANDARD  
BEDDING DETAIL FOR TRENCH, BEDDING AND  
COMPACTION REQUIREMENTS.

SINGLE LAYER 8 MIL.  
POLYETHYLENE PLASTIC


ALTERNATE LOCATION  
OF POLYETHYLENE  
PLASTIC

CLASS "A" BEDDING  
SQUEEGEE, CRUSHED  
ROCK OR APPROVED  
EQUAL.

SANITARY SEWER MAIN OR SERVICE

UNDERDRAIN PIPE SYSTEM

SANITARY SEWER  
MAIN OR SERVICE



**ALTERNATIVE MAIN LINE TRENCH  
W/CLOSED OR OPEN PIPE UNDERDRAIN**

NOTE:  
TO BE USED IN CONJUNCTION WITH STANDARD  
BEDDING DETAIL FOR TRENCH, BEDDING AND  
COMPACTION REQUIREMENTS.

No. XREFS  
I: \Key\_Std\SAS\Details\dwg\Sasd-PUB-21s.dwg

**Kennedy/Jenks Consultants**  
Engineers & Scientists

149 Union Boulevard  
Suite 600  
Lakewood, CO 80228  
303 985 3636 TEL  
303 985 3800 FAX



**SOUTH ARAPAHOE**  
SANITATION DISTRICT

www.southarapahoe.org

**TRENCH WITH  
UNDERDRAIN DETAIL**